

Danish Indoor Climate Labelling

Certificate no. 032



Danish Indoor Climate Labelling hereby certifies that the product group:

Junckers hardwood floors, lacquered

Junckers Industrier A/S

Værftsvej 4
DK-4600 Køge
Denmark

has been approved and awarded a labelling license

The labelling license is valid through:

30 August 2026

Danish Indoor Climate Labelling

This certificate is subject to annual renewal according to the procedures of Danish Indoor Climate Labelling. Danish Indoor Climate Labelling may withdraw the rights to use this certificate in case the manufacturer does not meet the requirements.

Danish Indoor Climate Labelling

Certificate no. 032

Labelling license holder:

Junkers Industrier A/S

Værftsvej 4

DK-4600 Køge

Denmark

Product group

Testing and labelling criteria

Date of first issue of license

Tested product(s)

Junkers hardwood floors, lacquered

General labelling criteria, 7th edition, May 2021,

Semi hard floors, 3rd edition, January 2018

1 December 1998

Sylvaket, Ultramatt

Evaluation of product group

EMISSION CLASS 1

The labelling license covers products considered to be identical with the tested product regarding emission and particle characteristics as specified by the labelling criteria. For a full list of products covered by the labelling license, see Appendix.

The emission class was determined based on the following measured values:

Emission measured after 28 days		
TVOC ₂₈	0.21	mg/m ³
Formaldehyde ₂₈	< 0.005	mg/m ³

Sensory evaluation	
Time-value	30 days

Labelling license basis

The tested product(s) shows compliance with the DICL criteria for the present product group:

Emission measured after 3 days			
TVOC	≤	10	mg/m ³
EU CARC 1A and 1B	≤	0.01	mg/m ³
Emission measured after 28 days			
Sum of TVOC and SVOC with LCI	≤	1.0	mg/m ³
EU CARC 1A and 1B	≤	0.001	mg/m ³
R-value	≤	1	
Sensory evaluation			
Time-value	≤	60	days

Emission Class 1	TVOC ₂₈	≤	0.5	mg/m ³
	Formaldehyde ₂₈	≤	0.01	mg/m ³
Emission Class 2	TVOC ₂₈	≤	1.0	mg/m ³
	Formaldehyde ₂₈	≤	0.06	mg/m ³
Emission Class 3	TVOC ₂₈	≤	1.0	mg/m ³
	Formaldehyde ₂₈	≤	0.1	mg/m ³

Product information requirements

The holder of the labelling license is required to present the following product information on demand in order to avoid any adverse effects of the product on the indoor air quality in practice: product specifications, guidelines for transport, storage, assembly, cleaning and maintenance.

In the event of any discrepancies in the text arising from translation, the Danish text shall prevail.

Danish Indoor Climate Labelling

Labelling license no. 032

Bilag: Handelsnavne omfattet af mærkningstilladelse

Appendix: Trade names covered by the labelling license

Anlage: Handelsnamen, geregelt über die Lizenz

Labelling license holder:

Junckers Industrier A/S

Værftsvej

DK-4600 Køge

Date: 22. august 2025

Product group: Junckers hardwood floors, lacquered

	Trægulve – Massive præsamlede brædder af løvtræ	Solid pre-assembled hardwood board	Holzfussböden – Massive Laubholzdielen und zusammengesetzte massive Laubholzdielen-Elemente
20,5 mm	Eg Moseeg Ask	Oak Moseeg Ash	Eiche Räuchereiche Esche
15 mm	Eg	Oak	Eiche

	Trægulve – Massive træparketelementer med fer og/eller not	Wood flooring – Solid parquet elements with grooves and/or tongues	Holzfussböden – Massivholz-Elemente mit Nut und/oder Feder
20,2 mm Genanvendt/ Recycled	Bøg	Beech	Buche
22 mm	Bøg Bøg SylvaKet Bøg SylvaRed Eg Moseeg Ask Ahorn	Beech Beech SylvaKet Beech SylvaRed Oak Black Oak Ash Maple	Buche Buche SylvaKet Buche SylvaRed Eiche Räuchereiche Esche Ahorn
14 mm	Bøg Bøg SylvaKet Bøg SylvaRed Moseeg Eg Ask	Beech Beech SylvaKet Beech SylvaRed Oak Black Oak Ash	Buche Buche SylvaKet Buche SylvaRed Eiche Räuchereiche Esche

For Danish Indoor Climate Labelling

For Junckers Industrier A/S

26.08.25

Rikke Juhl-Lyng

Date Signature

Pia Skjtte

22-08-2025

Date Signature